


TTI-EMEA Techtronic Industries GmbH Max-Eyth-Straße 10 71364 Winnenden, Germany Revision: 08 Jun 2020 Rev. No.: 1.5	Safety Data Sheet Milwaukee Lithium Ion Batteries (battery pack with lithium ion cells) according to 1907/2006/EC Article 31	
---	---	--

INTRODUCTORY STATEMENTS

EU

These batteries are neither "substances" nor "preparations" in the sense of REACH Regulation (EC) 1907/2006, but are instead to be regarded as "products". The intentional release of substances during use is not foreseen. Consequently, there is no obligation to provide a safety data sheet conforming to Article 31 of the REACH Regulation.

USA

Preparation of safety data sheets (SDS) is a subrequirement of the Hazard Communication Standard 29 CFR, Section 1910.1200, of the Occupational Safety and Health Administration (OSHA). This standard does not apply to "articles". The OSHA standard defines an "article" as a manufactured item other than a fluid or particle:

1. which is formed to a specific shape or design during manufacture;
2. which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
3. which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.


As all of our batteries are classified as "articles", they are exempted from the requirements of the Hazard Communication Standard.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Lithium ion batteries, rechargeable

Trade name

No.	Lithium ion rechargeable battery Model designation	Nominal voltage (V)	Amp hour (Ah)	Maximum capacity (Wh)
1	M28BX	28 V	3.0 Ah	84 Wh
2	M28B5	28 V	5.0 Ah	140 Wh
3	C18B, M18B	18 V	1.5 Ah	27 Wh
4	M18B2	18 V	2.0 Ah	36 Wh
5	C18B, M18BX, MV18BX	18 V	3.0 Ah	54 Wh
6	M18HB3	18 V	3.0 Ah	54 Wh
7	M18B4	18 V	4.0 Ah	72 Wh
8	M18B5	18 V	5.0 Ah	90 Wh
9	M18HB5.5	18 V	5.5 Ah	99 Wh
10	M18B6	18 V	6.0 Ah	108 Wh
11	M18HB6	18 V	6.0 Ah	108 Wh

TTI-EMEA Techtronic Industries GmbH Max-Eyth-Straße 10 71364 Winnenden, Germany Revision: 08 Jun 2020 Rev. No.: 1.5	Safety Data Sheet Milwaukee Lithium Ion Batteries (battery pack with lithium ion cells) according to 1907/2006/EC Article 31	
---	---	--

INTRODUCTORY STATEMENTS

EU

These batteries are neither "substances" nor "preparations" in the sense of REACH Regulation (EC) 1907/2006, but are instead to be regarded as "products". The intentional release of substances during use is not foreseen. Consequently, there is no obligation to provide a safety data sheet conforming to Article 31 of the REACH Regulation.

USA

Preparation of safety data sheets (SDS) is a subrequirement of the Hazard Communication Standard 29 CFR, Section 1910.1200, of the Occupational Safety and Health Administration (OSHA). This standard does not apply to "articles". The OSHA standard defines an "article" as a manufactured item other than a fluid or particle:

1. which is formed to a specific shape or design during manufacture;
2. which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
3. which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.


As all of our batteries are classified as "articles", they are exempted from the requirements of the Hazard Communication Standard.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Lithium ion batteries, rechargeable

Trade name

No.	Lithium ion rechargeable battery Model designation	Nominal voltage (V)	Amp hour (Ah)	Maximum capacity (Wh)
1	M28BX	28 V	3.0 Ah	84 Wh
2	M28B5	28 V	5.0 Ah	140 Wh
3	C18B, M18B	18 V	1.5 Ah	27 Wh
4	M18B2	18 V	2.0 Ah	36 Wh
5	C18B, M18BX, MV18BX	18 V	3.0 Ah	54 Wh
6	M18HB3	18 V	3.0 Ah	54 Wh
7	M18B4	18 V	4.0 Ah	72 Wh
8	M18B5	18 V	5.0 Ah	90 Wh
9	M18HB5.5	18 V	5.5 Ah	99 Wh
10	M18B6	18 V	6.0 Ah	108 Wh
11	M18HB6	18 V	6.0 Ah	108 Wh

TTI-EMEA Techtronic Industries GmbH Max-Eyth-Straße 10 71364 Winnenden, Germany Revision: 08 Jun 2020 Rev. No.: 1.5	Safety Data Sheet Milwaukee Lithium Ion Batteries (battery pack with lithium ion cells) according to 1907/2006/EC Article 31	
---	---	--

INTRODUCTORY STATEMENTS

EU

These batteries are neither "substances" nor "preparations" in the sense of REACH Regulation (EC) 1907/2006, but are instead to be regarded as "products". The intentional release of substances during use is not foreseen. Consequently, there is no obligation to provide a safety data sheet conforming to Article 31 of the REACH Regulation.

USA

Preparation of safety data sheets (SDS) is a subrequirement of the Hazard Communication Standard 29 CFR, Section 1910.1200, of the Occupational Safety and Health Administration (OSHA). This standard does not apply to "articles". The OSHA standard defines an "article" as a manufactured item other than a fluid or particle:

1. which is formed to a specific shape or design during manufacture;
2. which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
3. which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.


As all of our batteries are classified as "articles", they are exempted from the requirements of the Hazard Communication Standard.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Lithium ion batteries, rechargeable

Trade name

No.	Lithium ion rechargeable battery Model designation	Nominal voltage (V)	Amp hour (Ah)	Maximum capacity (Wh)
1	M28BX	28 V	3.0 Ah	84 Wh
2	M28B5	28 V	5.0 Ah	140 Wh
3	C18B, M18B	18 V	1.5 Ah	27 Wh
4	M18B2	18 V	2.0 Ah	36 Wh
5	C18B, M18BX, MV18BX	18 V	3.0 Ah	54 Wh
6	M18HB3	18 V	3.0 Ah	54 Wh
7	M18B4	18 V	4.0 Ah	72 Wh
8	M18B5	18 V	5.0 Ah	90 Wh
9	M18HB5.5	18 V	5.5 Ah	99 Wh
10	M18B6	18 V	6.0 Ah	108 Wh
11	M18HB6	18 V	6.0 Ah	108 Wh

TTI-EMEA Techtronic Industries GmbH Max-Eyth-Straße 10 71364 Winnenden, Germany Revision: 08 Jun 2020 Rev. No.: 1.5	Safety Data Sheet Milwaukee Lithium Ion Batteries (battery pack with lithium ion cells) according to 1907/2006/EC Article 31	
---	---	--

INTRODUCTORY STATEMENTS

EU

These batteries are neither "substances" nor "preparations" in the sense of REACH Regulation (EC) 1907/2006, but are instead to be regarded as "products". The intentional release of substances during use is not foreseen. Consequently, there is no obligation to provide a safety data sheet conforming to Article 31 of the REACH Regulation.

USA

Preparation of safety data sheets (SDS) is a subrequirement of the Hazard Communication Standard 29 CFR, Section 1910.1200, of the Occupational Safety and Health Administration (OSHA). This standard does not apply to "articles". The OSHA standard defines an "article" as a manufactured item other than a fluid or particle:

1. which is formed to a specific shape or design during manufacture;
2. which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
3. which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.


As all of our batteries are classified as "articles", they are exempted from the requirements of the Hazard Communication Standard.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Lithium ion batteries, rechargeable

Trade name

No.	Lithium ion rechargeable battery Model designation	Nominal voltage (V)	Amp hour (Ah)	Maximum capacity (Wh)
1	M28BX	28 V	3.0 Ah	84 Wh
2	M28B5	28 V	5.0 Ah	140 Wh
3	C18B, M18B	18 V	1.5 Ah	27 Wh
4	M18B2	18 V	2.0 Ah	36 Wh
5	C18B, M18BX, MV18BX	18 V	3.0 Ah	54 Wh
6	M18HB3	18 V	3.0 Ah	54 Wh
7	M18B4	18 V	4.0 Ah	72 Wh
8	M18B5	18 V	5.0 Ah	90 Wh
9	M18HB5.5	18 V	5.5 Ah	99 Wh
10	M18B6	18 V	6.0 Ah	108 Wh
11	M18HB6	18 V	6.0 Ah	108 Wh

TTI-EMEA Techtronic Industries GmbH Max-Eyth-Straße 10 71364 Winnenden, Germany Revision: 08 Jun 2020 Rev. No.: 1.5	Safety Data Sheet Milwaukee Lithium Ion Batteries (battery pack with lithium ion cells) according to 1907/2006/EC Article 31	
---	---	--

INTRODUCTORY STATEMENTS

EU

These batteries are neither "substances" nor "preparations" in the sense of REACH Regulation (EC) 1907/2006, but are instead to be regarded as "products". The intentional release of substances during use is not foreseen. Consequently, there is no obligation to provide a safety data sheet conforming to Article 31 of the REACH Regulation.

USA

Preparation of safety data sheets (SDS) is a subrequirement of the Hazard Communication Standard 29 CFR, Section 1910.1200, of the Occupational Safety and Health Administration (OSHA). This standard does not apply to "articles". The OSHA standard defines an "article" as a manufactured item other than a fluid or particle:

1. which is formed to a specific shape or design during manufacture;
2. which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
3. which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.


As all of our batteries are classified as "articles", they are exempted from the requirements of the Hazard Communication Standard.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Lithium ion batteries, rechargeable

Trade name

No.	Lithium ion rechargeable battery Model designation	Nominal voltage (V)	Amp hour (Ah)	Maximum capacity (Wh)
1	M28BX	28 V	3.0 Ah	84 Wh
2	M28B5	28 V	5.0 Ah	140 Wh
3	C18B, M18B	18 V	1.5 Ah	27 Wh
4	M18B2	18 V	2.0 Ah	36 Wh
5	C18B, M18BX, MV18BX	18 V	3.0 Ah	54 Wh
6	M18HB3	18 V	3.0 Ah	54 Wh
7	M18B4	18 V	4.0 Ah	72 Wh
8	M18B5	18 V	5.0 Ah	90 Wh
9	M18HB5.5	18 V	5.5 Ah	99 Wh
10	M18B6	18 V	6.0 Ah	108 Wh
11	M18HB6	18 V	6.0 Ah	108 Wh

TTI-EMEA Techtronic Industries GmbH Max-Eyth-Straße 10 71364 Winnenden, Germany Revision: 08 Jun 2020 Rev. No.: 1.5	Safety Data Sheet Milwaukee Lithium Ion Batteries (battery pack with lithium ion cells) according to 1907/2006/EC Article 31	
---	---	--

INTRODUCTORY STATEMENTS

EU

These batteries are neither "substances" nor "preparations" in the sense of REACH Regulation (EC) 1907/2006, but are instead to be regarded as "products". The intentional release of substances during use is not foreseen. Consequently, there is no obligation to provide a safety data sheet conforming to Article 31 of the REACH Regulation.

USA

Preparation of safety data sheets (SDS) is a subrequirement of the Hazard Communication Standard 29 CFR, Section 1910.1200, of the Occupational Safety and Health Administration (OSHA). This standard does not apply to "articles". The OSHA standard defines an "article" as a manufactured item other than a fluid or particle:

1. which is formed to a specific shape or design during manufacture;
2. which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
3. which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.


As all of our batteries are classified as "articles", they are exempted from the requirements of the Hazard Communication Standard.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Lithium ion batteries, rechargeable

Trade name

No.	Lithium ion rechargeable battery Model designation	Nominal voltage (V)	Amp hour (Ah)	Maximum capacity (Wh)
1	M28BX	28 V	3.0 Ah	84 Wh
2	M28B5	28 V	5.0 Ah	140 Wh
3	C18B, M18B	18 V	1.5 Ah	27 Wh
4	M18B2	18 V	2.0 Ah	36 Wh
5	C18B, M18BX, MV18BX	18 V	3.0 Ah	54 Wh
6	M18HB3	18 V	3.0 Ah	54 Wh
7	M18B4	18 V	4.0 Ah	72 Wh
8	M18B5	18 V	5.0 Ah	90 Wh
9	M18HB5.5	18 V	5.5 Ah	99 Wh
10	M18B6	18 V	6.0 Ah	108 Wh
11	M18HB6	18 V	6.0 Ah	108 Wh

TTI-EMEA Techtronic Industries GmbH Max-Eyth-Straße 10 71364 Winnenden, Germany Revision: 08 Jun 2020 Rev. No.: 1.5	Safety Data Sheet Milwaukee Lithium Ion Batteries (battery pack with lithium ion cells) according to 1907/2006/EC Article 31	
---	---	--

INTRODUCTORY STATEMENTS

EU

These batteries are neither "substances" nor "preparations" in the sense of REACH Regulation (EC) 1907/2006, but are instead to be regarded as "products". The intentional release of substances during use is not foreseen. Consequently, there is no obligation to provide a safety data sheet conforming to Article 31 of the REACH Regulation.

USA

Preparation of safety data sheets (SDS) is a subrequirement of the Hazard Communication Standard 29 CFR, Section 1910.1200, of the Occupational Safety and Health Administration (OSHA). This standard does not apply to "articles". The OSHA standard defines an "article" as a manufactured item other than a fluid or particle:

- which is formed to a specific shape or design during manufacture;
- which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
- which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.


As all of our batteries are classified as "articles", they are exempted from the requirements of the Hazard Communication Standard.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Lithium ion batteries, rechargeable

Trade name

No.	Lithium ion rechargeable battery Model designation	Nominal voltage (V)	Amp hour (Ah)	Maximum capacity (Wh)
1	M28BX	28 V	3.0 Ah	84 Wh
2	M28B5	28 V	5.0 Ah	140 Wh
3	C18B, M18B	18 V	1.5 Ah	27 Wh
4	M18B2	18 V	2.0 Ah	36 Wh
5	C18B, M18BX, MV18BX	18 V	3.0 Ah	54 Wh
6	M18HB3	18 V	3.0 Ah	54 Wh
7	M18B4	18 V	4.0 Ah	72 Wh
8	M18B5	18 V	5.0 Ah	90 Wh
9	M18HB5.5	18 V	5.5 Ah	99 Wh
10	M18B6	18 V	6.0 Ah	108 Wh
11	M18HB6	18 V	6.0 Ah	108 Wh

TTI-EMEA Techtronic Industries GmbH Max-Eyth-Straße 10 71364 Winnenden, Germany Revision: 08 Jun 2020 Rev. No.: 1.5	Safety Data Sheet Milwaukee Lithium Ion Batteries (battery pack with lithium ion cells) according to 1907/2006/EC Article 31	
---	---	--

INTRODUCTORY STATEMENTS

EU

These batteries are neither "substances" nor "preparations" in the sense of REACH Regulation (EC) 1907/2006, but are instead to be regarded as "products". The intentional release of substances during use is not foreseen. Consequently, there is no obligation to provide a safety data sheet conforming to Article 31 of the REACH Regulation.

USA

Preparation of safety data sheets (SDS) is a subrequirement of the Hazard Communication Standard 29 CFR, Section 1910.1200, of the Occupational Safety and Health Administration (OSHA). This standard does not apply to "articles". The OSHA standard defines an "article" as a manufactured item other than a fluid or particle:

1. which is formed to a specific shape or design during manufacture;
2. which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
3. which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.


As all of our batteries are classified as "articles", they are exempted from the requirements of the Hazard Communication Standard.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Lithium ion batteries, rechargeable

Trade name

No.	Lithium ion rechargeable battery Model designation	Nominal voltage (V)	Amp hour (Ah)	Maximum capacity (Wh)
1	M28BX	28 V	3.0 Ah	84 Wh
2	M28B5	28 V	5.0 Ah	140 Wh
3	C18B, M18B	18 V	1.5 Ah	27 Wh
4	M18B2	18 V	2.0 Ah	36 Wh
5	C18B, M18BX, MV18BX	18 V	3.0 Ah	54 Wh
6	M18HB3	18 V	3.0 Ah	54 Wh
7	M18B4	18 V	4.0 Ah	72 Wh
8	M18B5	18 V	5.0 Ah	90 Wh
9	M18HB5.5	18 V	5.5 Ah	99 Wh
10	M18B6	18 V	6.0 Ah	108 Wh
11	M18HB6	18 V	6.0 Ah	108 Wh

TTI-EMEA Techtronic Industries GmbH Max-Eyth-Straße 10 71364 Winnenden, Germany Revision: 08 Jun 2020 Rev. No.: 1.5	Safety Data Sheet Milwaukee Lithium Ion Batteries (battery pack with lithium ion cells) according to 1907/2006/EC Article 31	
---	---	--

INTRODUCTORY STATEMENTS

EU

These batteries are neither "substances" nor "preparations" in the sense of REACH Regulation (EC) 1907/2006, but are instead to be regarded as "products". The intentional release of substances during use is not foreseen. Consequently, there is no obligation to provide a safety data sheet conforming to Article 31 of the REACH Regulation.

USA

Preparation of safety data sheets (SDS) is a subrequirement of the Hazard Communication Standard 29 CFR, Section 1910.1200, of the Occupational Safety and Health Administration (OSHA). This standard does not apply to "articles". The OSHA standard defines an "article" as a manufactured item other than a fluid or particle:

1. which is formed to a specific shape or design during manufacture;
2. which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
3. which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.


As all of our batteries are classified as "articles", they are exempted from the requirements of the Hazard Communication Standard.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Lithium ion batteries, rechargeable

Trade name

No.	Lithium ion rechargeable battery Model designation	Nominal voltage (V)	Amp hour (Ah)	Maximum capacity (Wh)
1	M28BX	28 V	3.0 Ah	84 Wh
2	M28B5	28 V	5.0 Ah	140 Wh
3	C18B, M18B	18 V	1.5 Ah	27 Wh
4	M18B2	18 V	2.0 Ah	36 Wh
5	C18B, M18BX, MV18BX	18 V	3.0 Ah	54 Wh
6	M18HB3	18 V	3.0 Ah	54 Wh
7	M18B4	18 V	4.0 Ah	72 Wh
8	M18B5	18 V	5.0 Ah	90 Wh
9	M18HB5.5	18 V	5.5 Ah	99 Wh
10	M18B6	18 V	6.0 Ah	108 Wh
11	M18HB6	18 V	6.0 Ah	108 Wh

TTI-EMEA Techtronic Industries GmbH Max-Eyth-Straße 10 71364 Winnenden, Germany Revision: 08 Jun 2020 Rev. No.: 1.5	Safety Data Sheet Milwaukee Lithium Ion Batteries (battery pack with lithium ion cells) according to 1907/2006/EC Article 31	
---	---	--

INTRODUCTORY STATEMENTS

EU

These batteries are neither "substances" nor "preparations" in the sense of REACH Regulation (EC) 1907/2006, but are instead to be regarded as "products". The intentional release of substances during use is not foreseen. Consequently, there is no obligation to provide a safety data sheet conforming to Article 31 of the REACH Regulation.

USA

Preparation of safety data sheets (SDS) is a subrequirement of the Hazard Communication Standard 29 CFR, Section 1910.1200, of the Occupational Safety and Health Administration (OSHA). This standard does not apply to "articles". The OSHA standard defines an "article" as a manufactured item other than a fluid or particle:

1. which is formed to a specific shape or design during manufacture;
2. which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
3. which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.


As all of our batteries are classified as "articles", they are exempted from the requirements of the Hazard Communication Standard.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Lithium ion batteries, rechargeable

Trade name

No.	Lithium ion rechargeable battery Model designation	Nominal voltage (V)	Amp hour (Ah)	Maximum capacity (Wh)
1	M28BX	28 V	3.0 Ah	84 Wh
2	M28B5	28 V	5.0 Ah	140 Wh
3	C18B, M18B	18 V	1.5 Ah	27 Wh
4	M18B2	18 V	2.0 Ah	36 Wh
5	C18B, M18BX, MV18BX	18 V	3.0 Ah	54 Wh
6	M18HB3	18 V	3.0 Ah	54 Wh
7	M18B4	18 V	4.0 Ah	72 Wh
8	M18B5	18 V	5.0 Ah	90 Wh
9	M18HB5.5	18 V	5.5 Ah	99 Wh
10	M18B6	18 V	6.0 Ah	108 Wh
11	M18HB6	18 V	6.0 Ah	108 Wh

TTI-EMEA Techtronic Industries GmbH Max-Eyth-Straße 10 71364 Winnenden, Germany Revision: 08 Jun 2020 Rev. No.: 1.5	Safety Data Sheet Milwaukee Lithium Ion Batteries (battery pack with lithium ion cells) according to 1907/2006/EC Article 31	
---	---	--

INTRODUCTORY STATEMENTS

EU

These batteries are neither "substances" nor "preparations" in the sense of REACH Regulation (EC) 1907/2006, but are instead to be regarded as "products". The intentional release of substances during use is not foreseen. Consequently, there is no obligation to provide a safety data sheet conforming to Article 31 of the REACH Regulation.

USA

Preparation of safety data sheets (SDS) is a subrequirement of the Hazard Communication Standard 29 CFR, Section 1910.1200, of the Occupational Safety and Health Administration (OSHA). This standard does not apply to "articles". The OSHA standard defines an "article" as a manufactured item other than a fluid or particle:

1. which is formed to a specific shape or design during manufacture;
2. which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
3. which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.


As all of our batteries are classified as "articles", they are exempted from the requirements of the Hazard Communication Standard.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Lithium ion batteries, rechargeable

Trade name

No.	Lithium ion rechargeable battery Model designation	Nominal voltage (V)	Amp hour (Ah)	Maximum capacity (Wh)
1	M28BX	28 V	3.0 Ah	84 Wh
2	M28B5	28 V	5.0 Ah	140 Wh
3	C18B, M18B	18 V	1.5 Ah	27 Wh
4	M18B2	18 V	2.0 Ah	36 Wh
5	C18B, M18BX, MV18BX	18 V	3.0 Ah	54 Wh
6	M18HB3	18 V	3.0 Ah	54 Wh
7	M18B4	18 V	4.0 Ah	72 Wh
8	M18B5	18 V	5.0 Ah	90 Wh
9	M18HB5.5	18 V	5.5 Ah	99 Wh
10	M18B6	18 V	6.0 Ah	108 Wh
11	M18HB6	18 V	6.0 Ah	108 Wh

TTI-EMEA Techtronic Industries GmbH Max-Eyth-Straße 10 71364 Winnenden, Germany Revision: 08 Jun 2020 Rev. No.: 1.5	Safety Data Sheet Milwaukee Lithium Ion Batteries (battery pack with lithium ion cells) according to 1907/2006/EC Article 31	
---	---	--

INTRODUCTORY STATEMENTS

EU

These batteries are neither "substances" nor "preparations" in the sense of REACH Regulation (EC) 1907/2006, but are instead to be regarded as "products". The intentional release of substances during use is not foreseen. Consequently, there is no obligation to provide a safety data sheet conforming to Article 31 of the REACH Regulation.

USA

Preparation of safety data sheets (SDS) is a subrequirement of the Hazard Communication Standard 29 CFR, Section 1910.1200, of the Occupational Safety and Health Administration (OSHA). This standard does not apply to "articles". The OSHA standard defines an "article" as a manufactured item other than a fluid or particle:

1. which is formed to a specific shape or design during manufacture;
2. which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
3. which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.

As all of our batteries are classified as "articles", they are exempted from the requirements of the Hazard Communication Standard.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Lithium ion batteries, rechargeable

Trade name

No.	Lithium ion rechargeable battery Model designation	Nominal voltage (V)	Amp hour (Ah)	Maximum capacity (Wh)
1	M28BX	28 V	3.0 Ah	84 Wh
2	M28B5	28 V	5.0 Ah	140 Wh
3	C18B, M18B	18 V	1.5 Ah	27 Wh
4	M18B2	18 V	2.0 Ah	36 Wh
5	C18B, M18BX, MV18BX	18 V	3.0 Ah	54 Wh
6	M18HB3	18 V	3.0 Ah	54 Wh
7	M18B4	18 V	4.0 Ah	72 Wh
8	M18B5	18 V	5.0 Ah	90 Wh
9	M18HB5.5	18 V	5.5 Ah	99 Wh
10	M18B6	18 V	6.0 Ah	108 Wh
11	M18HB6	18 V	6.0 Ah	108 Wh